

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 28 2004

Returned to applicant for correction JUL 12 2004

Corrected application filed \_\_\_\_\_

Map filed AUG 11 2004

\*\*\*\*\*

The applicant **U.S.D.I. Bureau of Land Management, Elko Field Office** hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

\*\*\*\*\*

1. The source of the proposed appropriation is **Underground – Trail Center Well**
2. The amount of water applied for is **0.01253** second feet.
  - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Quasi-Municipal**
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated
  - (b) Stockwater, state number and kind of animals to be watered
  - (c) Other use (describe fully under No. 12. "Remarks") **X**
  - (d) Power:
    - (1) Horsepower developed
    - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE $\frac{1}{4}$ NE $\frac{1}{4}$  sec. 7, T.33N., R.54E., MDM at a point from which the southeast corner of said section 7 bears S.11°52' E., 3,043 feet.**
6. Place of Use **SE $\frac{1}{4}$ NE $\frac{1}{4}$ , SW $\frac{1}{4}$ NE $\frac{1}{4}$ , NW $\frac{1}{4}$ SE $\frac{1}{4}$ , NE $\frac{1}{4}$ SE $\frac{1}{4}$  sec.7, T.33N., R.54E. NW $\frac{1}{4}$ NW $\frac{1}{4}$ , SW $\frac{1}{4}$ NW $\frac{1}{4}$ , NE $\frac{1}{4}$ NW $\frac{1}{4}$ , SE $\frac{1}{4}$ NW $\frac{1}{4}$ , NW $\frac{1}{4}$ NE $\frac{1}{4}$  sec.8, T.33N., R.54E.**
7. Use will begin about **January 1** and end about **December 31** of each year.
8. Description of proposed works **8 inch cased well, submersible pump, pressure pump, pipeline, 60,000 gal. storage tank, pressure tank, water treatment system, landscaping system, and other appurtenances**
9. Estimated cost of works **\$638,000**
10. Estimated time required to construct works **3 years**
11. Estimated time required to complete the application of water to beneficial use **One year after completion**

12. Remarks: Approximately 4,100 GPD are needed for the estimated 60,000 visitors per year for drinking water and restrooms. Another 4,000 GPD is needed for landscaping.

By s/ Helen Hankins  
3900 E. Idaho Street  
Elko, NV 89801

Compared sg/sam dl/ gkl

Protested \_\_\_\_\_  
\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of this permit is limited to the proposed place of use and no future changes of place of use will be allowed.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.013 cubic feet per second, but not to exceed 2.96 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 24, 2007

Proof of completion of work shall be filed on or before:

June 24, 2007

Water must be placed to beneficial use on or before:

May 24, 2010

Proof of the application of water to beneficial use shall be filed on or before:

June 24, 2010

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 24th day of May, A.D. 2005

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_ N/A \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_